



DIMENSIONAL DRAWING: 5502L


SEE NEXT PAGE FOR DIMENSIONS WITH OPTIONAL ECM KIT



IR = 62.9
PCAP = 52.7



I/O CONNECTIONS
(UNDER SECURITY COVER)



DIMENSIONS ARE IN MILLIMETERS



elo

MS601912

DATE: 05/30/2017

REV: A



OPTIONAL ECM KIT




VESA MOUNT EXTENSION SPACERS AND SCREWS (X4)
INCLUDED WITH ECM KIT

ECM KIT



ECM CONNECTIONS ON SAME SIDE
AS IDS I/O CONNECTIONS




LANDSCAPE ORIENTATION





LOGO ON BOTTOM




PORTRAIT ORIENTATION





LOGO ON LEFT




LANDSCAPE ORIENTATION





LOGO ON BOTTOM




PORTRAIT ORIENTATION




LOGO ON LEFT



LANDSCAPE ORIENTATION




PORTRAIT ORIENTATION




OPTIONAL SIDE MOUNT BRACKET KIT P/N E329508
8 ADJUSTABLE BRACKETS INCLUDED IN KIT
CUSTOMER ASSEMBLED

DIMENSIONAL DRAWING: 5502L



ADJUSTMENT RANGE (25MM):
IR = 4.6 TO 29.6
PCAP = -5.5 TO 19.5

Ø4 THRU, X2, (EACH BRACKET)
M4 THREADS, X2 (EACH BRACKET)



DIMENSIONS ARE IN MILLIMETERS

elo

MS601912

DATE: 05/30/2017

REV: A