





IR MODEL






I/O CONNECTIONS
(UNDER SECURITY COVER)




SCALE 0.500

IR MODEL WITH OPTIONAL ECM KIT




EXTENSION SPACERS AND SCREWS (X4)
INCLUDED WITH ECM KIT




ECM CONNECTIONS ON SAME SIDE
AS IDS I/O CONNECTIONS




SCALE 0.500



PROJECTED CAPACITIVE MODEL






I/O CONNECTIONS
(UNDER SECURITY COVER)




SCALE 0.500

PROJECTED CAPACITIVE MODEL WITH OPTIONAL ECM KIT




ECM CONNECTIONS ON SAME SIDE AS IDS I/O CONNECTIONS







SCALE 0.500

EXTENSION SPACERS AND SCREWS (X4) INCLUDED WITH ECM KIT









OPTIONAL STAND KIT P/N E275623

LANDSCAPE ORIENTATION
(STAND DOES NOT SUPPORT PORTRAIT ORIENTATION)




OPTIONAL LOW PROFILE WALLMOUNT KIT P/N E275050
 SEE NEXT PAGE FOR DIMENSIONS WITH ECM KIT





OPTIONAL LOW PROFILE WALLMOUNT KIT P/N E275050
WITH OPTIONAL ECM KIT.

SEE PREVIOUS PAGE FOR DIMENSIONS WITHOUT ECM KIT


LANDSCAPE ORIENTATION



TOTAL THICKNESS INCLUDING BRACKET
IR = 100.1
PCAP = 89



PORTRAIT ORIENTATION



TOTAL THICKNESS INCLUDING BRACKET
IR = 100.1
PCAP = 89

