


3M™ MicroTouch™ Displays



Sturdy. Steady. Stable.

Retail Displays

M1500SS 15" Touch Display

M1700SS 17" Touch Display

Chassis Displays

C1500SS 15" Touch Display

C1700SS 17" Touch Display

Touch Technology

SCT3250EX Touch System

MicroTouch™

3M

M1500SS 15" Touch Display

Features

Touch Stability

Adjust and Locking Mechanism

High-bright Display Option

Locking OSD

Cable Management

POS Peripheral Attachment

SCT3250EX Touch System




Home



M1500SS 15" Touch Display

Touch Stability



Rigid monitor backbone avoids monitor rocking
and minimizes double touches

MicroTouch™

Back

Home

3M

M1500SS 15" Touch Display

Adjustment and Locking Mechanism



Adjustment and locking mechanism
(range from 0 to 60 degrees)



Back

Home



M1500SS 15" Touch Display

High-Bright Display Option



Ideal solution for high-ambient light or indirect sunlight environments with 550-nit, 500:1 contrast display (not a direct sunlight display)



Back

Home



M1500SS 15" Touch Display

Locking OSD



Locking OSD controls avoid accidental or unauthorized display adjustments



M1500SS 15" Touch Display

Cable Management



Base with external and internal guides route multimedia, video, touch and peripheral cables through the back of the stand for a clean appearance



Back

Home



M1500SS 15" Touch Display

POS Peripheral Attachment System



Attachment plate mounts on left or right side of monitor



Back

Home



M1700SS 17" Touch Display

Features

High-bright Display

Touch Stability

Adjust and Locking Mechanism

Wall Mountable

Cable Management

POS Peripheral Attachment

DVI Capability

SCT3250EX Touch System



MicroTouch™

Home

3M

M1700SS 17" Touch Display

High-bright Display



An ideal solution for high-ambient light or indirect sunlight environments with 400-nit, 500:1 contrast display (not a direct sunlight display)

MicroTouch™

Back

Home

3M

M1700SS 17" Touch Display

Touch Stability



Rigid monitor backbone avoids monitor rocking
and minimizes double touches

MicroTouch™

Back

Home

3M

M1700SS 17" Touch Display

Adjustment and Locking Mechanism



Adjustment and locking mechanism
(range from 0 to 90 degrees)



M1700SS 17" Touch Display

Wall Mountable



Key-hole pattern, cable management and 90 degree adjustment for wall mounting.

MicroTouch

Back

Home

3M

M1700SS 17" Touch Display

Cable Management



Base with internal guides route multimedia, video, touch and peripheral cables through the back or bottom of the stand for a clean appearance.



Back

Home



M1700SS 17" Touch Display

POS Peripheral Attachment System



Attachment plate mounts on left or right
side of monitor



Back

Home



M1700SS 17" Touch Display

DVI Capability



DVI video processing capability enables high-speed screen refreshing for graphic intensive applications.

MicroTouch™

Back

Home

3M

C1500SS 15" Touch Display

Features

Bezels Options

Mounting Options

Remote OSD

SCT3250EX Touch System



Home



C1500SS 15" Touch Display

Bezel Options



Contour Flange Bezel for most enclosure applications.
Industrial Flange Bezel for NEMA 4 / IP66 environments.



[Back](#)

[Home](#)



C1500SS 15" Touch Display

Mounting Options



Standard mounting brackets for
top/bottom or side mounting



Optional VESA-mount bracket



C1500SS 15" Touch Display

Remote OSD Control



Remote OSD control for accessing display settings from outside the enclosure



Back

Home



C1700SS 17" Touch Display

Features

Bezels Options

Mounting Options

SCT3250EX Touch System



MicroTouch™

Home

3M

C1700SS 17" Touch Display

Bezel Options



Contour Flanged Bezel



Industrial Flange Bezel for
NEMA 4 / IP66 environments.




[Back](#)

[Home](#)



C1700SS 17" Touch Display

Mounting Options



Standard mounting brackets for
side mounting



[Back](#)

[Home](#)




SCT3250EX Touch System

Surface Capacitive Touch Technology

Features

- Capacitive sensing technology provides superior performance in the presence of dirt, dust, moisture or other contaminants
- Proprietary hard coat provides premium surface durability and wear
- Advanced EX II electronics provide fast, accurate, reliable touch response
- Glass sensor construction provides excellent optical characteristics
- USB or Serial protocols to suit application needs




SCT3250EX Touch System

Surface Capacitive Touch Technology

Features

- Capacitive sensing technology provides superior performance in the presence of dirt, dust, moisture or other contaminants
- Proprietary hard coat provides premium surface durability and wear
- Advanced EX II electronics provide fast, accurate, reliable touch response
- Glass sensor construction provides excellent optical characteristics
- USB or Serial protocols to suit application needs




SCT3250EX Touch System

Surface Capacitive Touch Technology

Features

- Capacitive sensing technology provides superior performance in the presence of dirt, dust, moisture or other contaminants
- Proprietary hard coat provides premium surface durability and wear
- Advanced EX II electronics provide fast, accurate, reliable touch response
- Glass sensor construction provides excellent optical characteristics
- USB or Serial protocols to suit application needs




SCT3250EX Touch System

Surface Capacitive Touch Technology

Features

- Capacitive sensing technology provides superior performance in the presence of dirt, dust, moisture or other contaminants
- Proprietary hard coat provides premium surface durability and wear
- Advanced EX II electronics provide fast, accurate, reliable touch response
- Glass sensor construction provides excellent optical characteristics
- USB or Serial protocols to suit application needs



SCT3250EX Touch System

Surface Capacitive Touch Technology

Features

- Capacitive sensing technology provides superior performance in the presence of dirt, dust, moisture or other contaminants
- Proprietary hard coat provides premium surface durability and wear
- Advanced EX II electronics provide fast, accurate, reliable touch response
- Glass sensor construction provides excellent optical characteristics
- USB or Serial protocols to suit application needs

